



IMO 2023



Chiba, JAPAN 64th

Macedonian (mac), day 1

сабота, 8. јули 2023

Задача 1. Определи ги сите сложени цели броеви $n > 1$ кои го задоволуваат следново својство: ако d_1, d_2, \dots, d_k се сите позитивни делители на n и важи $1 = d_1 < d_2 < \dots < d_k = n$, тогаш d_i е делител на $d_{i+1} + d_{i+2}$ за секој $1 \leq i \leq k - 2$.

Задача 2. Нека ABC е остроаголен триаголник во кој $AB < AC$. Нека Ω е опишаната кружница околу ABC . Нека S е средната точка на лакот CB од Ω кој ја содржи A . Нормалата спуштена од A на BC ја сече BS во D , а Ω по втор пат во $E \neq A$. Правата низ D паралелна на BC ја сече правата BE во L . Опишаната кружница околу триаголникот BDL ја означуваме со ω . Нека ω ја сече Ω по втор пат во $P \neq B$.

Докажи дека тангентата на ω во P ја сече правата BS во точка на внатрешната симетрала од $\angle BAC$.

Задача 3. За секој цел број $k \geq 2$, определи ги сите бесконечни низи од позитивни цели броеви a_1, a_2, \dots за кои постои полином P од облик $P(x) = x^k + c_{k-1}x^{k-1} + \dots + c_1x + c_0$, каде c_0, c_1, \dots, c_{k-1} се ненегативни цели броеви, такви што

$$P(a_n) = a_{n+1}a_{n+2} \cdots a_{n+k}$$

за секој цел број $n \geq 1$.




недела, 9. јули 2023

Задача 4. Нека $x_1, x_2, \dots, x_{2023}$ се попарно различни позитивни реални броеви такви што

$$a_n = \sqrt{(x_1 + x_2 + \dots + x_n) \left(\frac{1}{x_1} + \frac{1}{x_2} + \dots + \frac{1}{x_n} \right)}$$

е цел број за секое $n = 1, 2, \dots, 2023$. Докажи дека $a_{2023} \geq 3034$.

Задача 5. Нека n е позитивен цел број. *Јапонски триаголник* се состои од $1 + 2 + \dots + n$ кругови распоредени во форма на рамностран триаголник, така што за секој $i = 1, 2, \dots, n$, i -тиот ред содржи точно i круга, од кои точно еден е обоен црвено. *Нинџа патека* во јапонски триаголник е низа од n кругови добиена почнувајќи од најгорниот ред, па последователно движејќи се од круг, во еден од двата круга непосредно под него, завршувајќи во најдолниот ред. Подолу е даден пример за јапонски триаголник за $n = 6$, со нинџа патека во него кога содржи два црвени кругови.



Изразено преку n , најди го најголемиот k таков што во секој јапонски триаголник постои нинџа патека која содржи најмалку k црвени круга.

Задача 6. Нека ABC е рамностран триаголник. Нека A_1, B_1, C_1 се точки во внатрешноста на ABC такви што $BA_1 = A_1C$, $CB_1 = B_1A$, $AC_1 = C_1B$ и

$$\angle BA_1C + \angle CB_1A + \angle AC_1B = 480^\circ.$$

Нека BC_1 и CB_1 се сечат во A_2 , CA_1 и AC_1 се сечат во B_2 , а AB_1 и BA_1 се сечат во C_2 .

Докажу дека ако триаголникот $A_1B_1C_1$ е разностран, тогаш трите опишани кружници околу триаголниците AA_1A_2 , BB_1B_2 и CC_1C_2 минуваат низ две заеднички точки.

(Забелешка: триаголник е разностран ако нема две страни со еднаква должина.)



IMO 2023



Chiba, JAPAN 64th

English (eng), day 1

Saturday, 8. July 2023

Problem 1. Determine all composite integers $n > 1$ that satisfy the following property: if d_1, d_2, \dots, d_k are all the positive divisors of n with $1 = d_1 < d_2 < \dots < d_k = n$, then d_i divides $d_{i+1} + d_{i+2}$ for every $1 \leq i \leq k - 2$.

Problem 2. Let ABC be an acute-angled triangle with $AB < AC$. Let Ω be the circumcircle of ABC . Let S be the midpoint of the arc CB of Ω containing A . The perpendicular from A to BC meets BS at D and meets Ω again at $E \neq A$. The line through D parallel to BC meets line BE at L . Denote the circumcircle of triangle BDL by ω . Let ω meet Ω again at $P \neq B$. Prove that the line tangent to ω at P meets line BS on the internal angle bisector of $\angle BAC$.

Problem 3. For each integer $k \geq 2$, determine all infinite sequences of positive integers a_1, a_2, \dots for which there exists a polynomial P of the form $P(x) = x^k + c_{k-1}x^{k-1} + \dots + c_1x + c_0$, where c_0, c_1, \dots, c_{k-1} are non-negative integers, such that

$$P(a_n) = a_{n+1}a_{n+2} \cdots a_{n+k}$$

for every integer $n \geq 1$.




Sunday, 9. July 2023

Problem 4. Let $x_1, x_2, \dots, x_{2023}$ be pairwise different positive real numbers such that

$$a_n = \sqrt{(x_1 + x_2 + \dots + x_n) \left(\frac{1}{x_1} + \frac{1}{x_2} + \dots + \frac{1}{x_n} \right)}$$

is an integer for every $n = 1, 2, \dots, 2023$. Prove that $a_{2023} \geq 3034$.

Problem 5. Let n be a positive integer. A *Japanese triangle* consists of $1 + 2 + \dots + n$ circles arranged in an equilateral triangular shape such that for each $i = 1, 2, \dots, n$, the i^{th} row contains exactly i circles, exactly one of which is coloured red. A *ninja path* in a Japanese triangle is a sequence of n circles obtained by starting in the top row, then repeatedly going from a circle to one of the two circles immediately below it and finishing in the bottom row. Here is an example of a Japanese triangle with $n = 6$, along with a ninja path in that triangle containing two red circles.



In terms of n , find the greatest k such that in each Japanese triangle there is a ninja path containing at least k red circles.

Problem 6. Let ABC be an equilateral triangle. Let A_1, B_1, C_1 be interior points of ABC such that $BA_1 = A_1C$, $CB_1 = B_1A$, $AC_1 = C_1B$, and

$$\angle BA_1C + \angle CB_1A + \angle AC_1B = 480^\circ.$$

Let BC_1 and CB_1 meet at A_2 , let CA_1 and AC_1 meet at B_2 , and let AB_1 and BA_1 meet at C_2 . Prove that if triangle $A_1B_1C_1$ is scalene, then the three circumcircles of triangles AA_1A_2 , BB_1B_2 and CC_1C_2 all pass through two common points.

(Note: a scalene triangle is one where no two sides have equal length.)